



au *Lika*

 **Saeco**

Aulika



Description

Aulika is a professional automatic machine designed for the Office market, and is the expression of the high quality of Saeco technology.

It is equipped with a brewing unit with preinfusion and electronic regulation of coffee in the cup.

It is also equipped with the "one-touch milk" dispenser function, which is compatible with the office requirements, and with a hot water wand.

Aulika is operated through a direct selection keypad, with an easily read display.

Aulika can work both autonomously or in water net connection version.

Main characteristics

- High capacity containers for professional use
- 8 selection keys with direct selection of 5 types of drinks
- Simple, intuitive display
- "One Touch" function to prepare a cappuccino and/or latte with a single touch
- Independent wand for hot water and steam
- Water filter installation and possibility to set the water hardness value
- Mechanical regulation of grinding blades
- Stainless steel front and upper panels

Characteristics

The machine is supplied with an autonomous 4-litre tank and a grounds drawer that has a capacity of up to 40 coffee cakes.

Technical data**Aulika****Structural characteristics**

Dimensions (w x h x d)	334 x 574 x 452 mm
Weight	22 kg (23 kg - water net connection version)
Frame material	metal
Chassis material	ABS
Water tank	removable

Electrical characteristics

Power supply	230-240/50 Hz - (120-220V/60 Hz)
Absorbed power	1400 W

Hydraulic characteristics

Boiler	2
Boiler material	stainless steel
Swivel water/steam spout	•

Water connections

Water supply connection	3/4"
Water supply	plumbed in or with autonomous tank

Other characteristics

Performance	1
Water tank	1
Coffee beans container capacity	1 kg
Water tank capacity	4 l
Grounds drawer capacity	40
Coffee grinder with steel conical grinding blades	•
Removable coffee group	from 6 gr to 10 gr
Height-adjustable coffee dispenser	•
Grind adjustment	•
Electronic preinfusion	•
Coffee dose adjustment	•
Automatic Cappuccinatore	•
Digital display	5"
Automatic decalcification cycle	•
Simultaneous delivery of 2 coffee cups	•
Number of selections	5
Number of pre-selections	1

Performance

Hot water production/hour (150 cc cup)	130
Coffee production/hour (30 cc cup)	130

International Network



ENG - 3200153 | -02-04/12

Argentina

Saeco Argentina S.A.
Edificio Philips
Vedia 3892 Piso 3
(C1430DAL) Buenos Aires
Tel. +54 11 45467755
Fax +54 11 45467747
www.saecovending.com.ar

France

Saeco France
33 rue de Verdun
92150 Suresnes
Tel. +33 1 47281811
Fax +33 1 47281791
www.saecovending.fr

Portugal

Saeco Ibérica, S.A.
Sant Ferran 34-36
08940 Cornellá de Llobregat
(Pol. Almeda) Barcelona
Tel. +34 93 4740017
Fax +34 93 4740434
www.saecovending.com.pt

Italy

Saeco Vending S.p.A.
Località Casona, 1066
40041 Gaggio Montano
Bologna
Tel. +39 0534 7741
Fax +39 0534 774808
info.saecovending.saecoitaly@philips.com
www.saeco.com

Benelux

Saeco France
33 rue de Verdun
92150 Suresnes - France
Tel. +32 11 261169
Fax +32 11 261170
www.saecovending.be

Poland

Saeco Polska sp. z o.o.
ul. Zeganska, 30a/5
04-713 Warszawa
Tel. +48 22 8120779
Fax +48 22 6131660
www.saeco.com.pl

Spain

Saeco Ibérica, S.A.
Sant Ferran 34-36
08940 Cornellá de Llobregat
(Pol. Almeda) Barcelona
Tel. +34 93 4740017
Fax +34 93 4740434
www.saecovending.es

© Saeco Vending S.p.A.

Saeco is a trademark of the Philips Group

KEMA CERTIFICATE



ISO 14001

DUTCH COUNCIL FOR ACCREDITATION C 390

ENVIRONMENTAL MANAGEMENT SYSTEM

KEMA CERTIFICATE



ISO 9001:2008

DUTCH COUNCIL FOR ACCREDITATION C 013

QUALITY MANAGEMENT SYSTEM